



Full-Span Landing, Configuration 28
Slat $\delta_s = 30$ deg, $g_s/c = 0.020$, $h_s/c = 0.015$
Flap $\delta_f = 25$ deg, $g_f/c = 0.015$, $o_f/c = 0.005$

	CONF	MMODREF	RNMODREF	Runs	Averaged
○ ——————	28	0.1500	3.5355	85, 86	
□ ——————	28	0.1498	5.9688	83, 84	
◇ ——————	28	0.1497	8.5869	81, 82	
○ ——————	28	0.1496	11.517	79, 80	
□ ——————	28	0.1495	14.6796	73, 74, 75	
○ ————	28	0.1500	3.5355	85, 86	
□ ————	28	0.1498	5.9688	83, 84	
◇ ————	28	0.1497	8.5869	81, 82	
○ ————	28	0.1496	11.517	79, 80	
□ ————	28	0.1495	14.6796	73, 74, 75	



Full-Span Landing, Configuration 28
Slat $ds=30$ deg, $gs/c=0.020$, $hs/c=0.015$
Flap $df=25$ deg, $gf/c=0.015$, $of/c=0.005$

	CONF	MMODREF	RNMODREF	Runs	Averaged
○ ——————	28	0.1500	3.5355	85, 86	
□ ——————	28	0.1498	5.9688	83, 84	
◇ ——————	28	0.1497	8.5869	81, 82	
○ ——————	28	0.1496	11.517	79, 80	
□ ——————	28	0.1495	14.6796	73, 74, 75	
○ ————	28	0.1500	3.5355	85, 86	
□ ————	28	0.1498	5.9688	83, 84	
◇ ————	28	0.1497	8.5869	81, 82	
○ ————	28	0.1496	11.517	79, 80	
□ ————	28	0.1495	14.6796	73, 74, 75	



CONF MMODREF RNMODREF Runs Averaged

Full-Span Landing, Configuration 28

Slat $ds=30$ deg, $gs/c=0.020$, $hs/c=0.015$

Flap $df=25$ deg, $gf/c=0.015$, $of/c=0.005$

